

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	2	("5692052").URPN.	USPAT	OR	OFF	2005/07/07 12:08
L3	8	("4204171"   "4527523"   "4651698"   "4664083"   "4674459"   "4932382"   "5005425"   "5692052").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/07 12:09
L4	9	(381/71.4-71.9).ccls. and order same sound and look-up	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/07/07 12:12
L5	8	(381/71.4-71.9).ccls. and order same engine and look-up	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/07/07 12:14
L6	2	("381"/\$).ccls. and order same engine same induct\$3 and look-up	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/07/07 12:14
L7	102	order same engine same induct\$3 and look-up	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/07/07 12:14
L8	102	(order same engine same induct\$3) and look-up	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/07/07 12:15
L9	3	(order same engine same induct\$3) and look-up and sound	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/07/07 12:15
S1	108	(381/71.4).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2004/12/05 18:40
S2	0	(381/71.4andspeakersameorder).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2004/08/11 11:08
S3	27	(381/71.4).ccls. and speaker same order	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/08/11 13:15
S4	1	(381/71.4).ccls. and speaker same RPM	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/08/11 11:20
S5	31	"4506380".URPN.	USPAT	OR	OFF	2004/08/11 11:11
S6	19	(381/71.4).ccls. and speaker same pressur\$2	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/08/11 11:16
S7	9	(381/71.4-71.9).ccls. and transceiv\$2	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/07/07 12:11

S8	330	"siemens".As. and noise and engine	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/08/11 11:23
S9	205	"siemens".As. and noise same engine	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/06/30 15:20
S10	47	"siemens".As. and noise same engine same speaker	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/05/17 12:56
S11	162	"siemens".As. and engine same RPM	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/08/11 11:33
S12	11	"siemens".As. and engine same RPM same noise	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/08/11 11:42
S13	10	"5040510".URPN.	USPAT	OR	OFF	2004/08/11 11:37
S14	13	"5628287".URPN.	USPAT	OR	OFF	2004/08/11 11:41
S15	4	"siemens".As. and engine same RPM same speaker	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/08/11 12:19
S16	2	((("5692052") or ("5524057"))).PN.	USPAT; USOCR	OR	OFF	2004/08/11 12:28
S17	1	"5692052".URPN.	USPAT	OR	OFF	2004/08/11 12:26
S18	0	EP-0797184-\$.did.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/08/11 12:28
S19	1	EP-797184-\$.did.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/08/11 12:29
S20	1	EP-479367-\$.did.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/08/11 12:29
S21	65	(vehicle adj2 bus) same transceiver	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/08/11 13:16
S22	2	(vehicle adj2 bus) same transceiver same noise	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/08/11 13:16
S23	20	engine same noise same transceiv\$2	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/08/11 16:04
S24	13	(381/71.4-71.9).ccls. and gain near3 attenuat\$3	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/08/11 16:19
S25	9	(381/71.4-71.9).ccls. and apply\$3 near3 gain	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/08/11 15:05

S26	1	(381/71.4-71.9).ccls. and correct\$3 adj2 factor	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/08/11 15:07
S27	2	(381/71.4-71.9).ccls. and correct\$3 near3 factor	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/08/11 15:15
S28	2	(381/71.4-71.9).ccls. and amplify\$3 near2 control near2 signal	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/08/11 15:18
S29	10	(381/71.4-71.9).ccls. and look-up near2 tabl\$2	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/08/11 15:23
S30	1	(381/71.4-71.9).ccls. and algorithm near3 Nyquist	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/08/11 15:24
S31	5	(381/71.4-71.9).ccls. and algorithm same Nyquist	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/08/11 15:24
S32	391	engine same transceiv\$2 same operat\$3	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/08/11 16:05
S33	50	engine same transceiv\$2 near3 operat\$3	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/07/01 09:13
S34	1	engine same transceiv\$2 same databus	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/08/11 16:07
S35	38	engine same transceiv\$2 near3 bus	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/08/11 16:37
S36	31	(381/71.4-71.9).ccls. and gain near3 reduc\$4	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/08/12 10:26
S37	119	engine same (generat\$3 near3 look-up)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/08/11 16:37
S38	0	engine same (generat\$3 near3 look-up) same noise	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/08/11 16:38
S39	0	engine same (generat\$3 near3 look-up) same sound	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/08/11 16:38
S40	13	engine same (generat\$3 near3 look-up) and sound	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/08/11 16:39
S41	2	sound same (generat\$3 near3 look-up) and engine	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/08/11 16:39

S42	6	sound same (generat\$3 near3 look-up)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/08/11 16:40
S43	56	control\$4 same (generat\$3 near3 look-up) same engine	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/08/11 16:40
S44	164	engine same transceiv\$2 same bus	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/08/12 10:31
S45	20	engine same transceiv\$2 same noise	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/08/12 10:37
S46	1	engine same noise same (controll\$2 near4 look-up)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/08/12 10:37
S47	151	engine same (controll\$2 near4 look-up)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/08/12 10:38
S48	3	noise same (controll\$2 near4 look-up) and engine	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/08/12 10:39
S49	16	noise same (controll\$2 near4 look-up)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/08/12 10:40
S50	105	noise same (generat\$4 near4 look-up)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/08/12 10:40
S51	0	noise same (generat\$4 near4 look-up) same engine	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/08/12 10:40
S52	0	noise same (generat\$4 near4 look-up) same vehicle	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/08/12 10:40
S53	0	noise same (generat\$4 near4 look-up) and engine	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/08/12 10:40
S54	3	noise same (generat\$4 near4 look-up) and vehicle	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/08/12 10:55
S55	1	("5940519").PN.	USPAT; USOCR	OR	OFF	2004/08/12 11:06
S56	2	((("20020097884") or ("5245664"))).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/08/12 11:09
S58	13	vaishya.in.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/07/02 16:17

S59	6	(381/71.4-71.9).ccls. and engine near2 orders	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/07/05 14:34
S60	13	(engine near2 orders) same sound	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/12 12:47
S61	41	microcontroller near2 stor\$3 near2 look-up	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/12 12:51
S62	41	microcontroller near2 stor\$3 near2 (look-up adj2 tabl\$3)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/12 12:51
S63	6548	(381/71.4-71.9).ccls. and (open adj2 loop) or (no adj2 feedback)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/05/16 14:18
S64	48	(381/71.4-71.9).ccls. and (open adj2 loop)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/05/16 13:24
S65	17	(381/71.4-71.9).ccls. and (open adj2 loop) and engine	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/05/16 13:37
S66	21	(381/71.4-71.9).ccls. and (engine near2 order)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/05/16 14:18
S67	1	("5937070").PN.	USPAT	OR	OFF	2005/05/16 16:17
S68	106	(381/71.4-71.9).ccls. and (attenuat\$3 or enhanc\$3) adj3 sound	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/05/16 14:19
S69	52	(381/71.4-71.9).ccls. and ((attenuat\$3 or enhanc\$3) adj3 sound) and engine	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/05/16 15:15
S70	2	(381/71.4-71.9).ccls. and ((attenuat\$3 same enhanc\$3) adj3 sound) and engine	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/05/16 14:21
S71	7	(381/71.4-71.9).ccls. and ((attenuat\$3 or enhanc\$3) same gain same sound) and engine	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/05/16 14:31
S72	3	((("5245664") or ("20020097884") or ("5940519"))).PN.	US-PGPUB; USPAT	OR	OFF	2005/05/16 14:29
S73	4	(381/71.4-71.9).ccls. and (camshaft)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/05/16 15:17
S74	286743	(381/71.4-71.9).ccls. and (camshaft or crankshaft) or (rotat\$4 adj2 shaft)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/05/16 15:17
S75	28	(381/71.4-71.9).ccls. and (camshaft or crankshaft)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/07/02 16:54

S76	1	("5848169").PN.	USPAT	OR	OFF	2005/05/16 16:17
S77	26	(381/71.4-71.9).ccls. and (gain with (attenua\$4 or enhanc\$3 or increa\$4)) and engine	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/05/17 12:17
S78	4	((("20020097884") or ("5627529") or ("5245664") or ("5940519")).PN.	US-PGPUB; USPAT	OR	OFF	2005/05/17 13:26
S79	1	("5692052").PN.	US-PGPUB; USPAT	OR	OFF	2005/05/17 13:26
S80	95	"siemens".As. and noise same engine and (order or orders)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/07/05 14:32
S81	5	((("5937070") or ("5245664") or ("5940519") or ("20020097884") or ("6237575")).PN.	US-PGPUB; USPAT	OR	OFF	2005/07/01 08:51
S82	1	("5627529").PN.	US-PGPUB; USPAT	OR	OFF	2005/07/01 08:51
S83	22	engine same transceiv\$2 same rpm	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/07/01 09:13
S84	42	vehicle adj3 databus	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/07/02 16:27
S85	2	(vehicle adj3 databus) with transceiver	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/07/02 16:18
S86	2	(vehicle adj3 databus) same transceiv\$4	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/07/02 16:28
S87	3	(vehicle adj3 databus) and transceiv\$4	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/07/02 16:28
S88	106	(CAN adj2 bus) with transceiv\$4	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/07/02 16:28
S89	3	(CAN adj2 bus) with transceiv\$4 same (engine)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/07/02 16:48
S90	0	(CAN adj2 bus) with transceiv\$4 same (RPM)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/07/02 16:49
S91	27	(CAN adj2 bus) with (RPM)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/07/02 16:49
S92	0	(CAN adj2 bus) with (RPM) same transceiver	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/07/02 16:49

S93	12	(CAN adj2 bus) with (RPM) same transmit\$4	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/07/05 10:59
S94	1	(381/71.4-71.9).ccls. and (CAN adj2 bus)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/07/02 16:54
S95	0	(CANbus) with (RPM) same transmit\$4	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/07/05 11:00
S96	0	(CANbus) with (RPM)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/07/05 11:00
S97	27	(CAN adj2 bus) with (RPM)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/07/05 11:00
S98	5	"siemens".As. and noise same engine and (look-up)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/07/05 14:33
S99	10	(381/71.4-71.9).ccls. and engine and order and look-up	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/07/05 14:38
S10 0	2	(381/71.4-71.9).ccls. and engine and (first with second with look-up)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/07/05 14:38
S10 1	387	engine and (first with second with look-up)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/07/05 14:38
S10 2	18	engine and (first with second with look-up) and sound	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/07/05 14:39